



A privately owned Canadian Gasket Manufacturer
“Providing Superior Sealing Solutions for Progressive Companies Worldwide.”

SAMPLES

We die cut, vulcanize, hand build and fabricate all types of compressed, elastomeric, fiber and textile materials.



GASKET SAMPLES

Material: SC41 NEOPRENE / EPDM BLEND CLOSED CELL SPONGE

Applications: WEATHER STRIPPING



GASKET SAMPLES

Material: DURLON 8500 – ARAMID INORGANIC FIBER WITH NBR RUBBER BINDER
Applications: PUMP CASING



GASKET SAMPLES

Material: DURLON 8500 – ARAMID INORGANIC FIBER WITH NBR RUBBER BINDER


Applications: PIPE FLANGE



GASKET SAMPLES




Material: DURLON 8500 – ARAMID INORGANIC FIBER WITH NBR RUBBER BINDER
Applications: THERMAL HEATING ELEMENT



GASKET SAMPLES

Material: SC41 SPONGE – OPEN CELL

Applications: MOUNTING PAD (FOR EMERGENCY LIGHT)



GASKET SAMPLES



Material: VITON SPONGE FOAM

Applications: HIGH TEMPERATURE APPLICATIONS



GASKET SAMPLES

Material: VITON 1/32" Thick

Applications: SECURITY DEVICE – DETECTION EQUIPMENT



GASKET SAMPLES



Material: CLOSED CELL NEOPRENE / EPDAM BLEND with ADHESIVE BACKING

Applications: PLUMBING



GASKET SAMPLES

Material: HYPURCEL MICROCELLULAR POLYURETHANE FOAM - OPEN CELL
Applications: LIGHTING INDUSTRY




GASKET SAMPLES



Material: SC41 EPDM / NEOPRENE SPONGE FOAM

Applications: SPACER



GASKET SAMPLES



Material: NEOPRENE RUBBER – 1/8" Thick

Applications: ELECTRIC MOTORS



GASKET SAMPLES



Material: VITON 1/32" Thick

Applications: SECURITY DEVICE – DETECTION EQUIPMENT



GASKET SAMPLES



Material: SILICONE – 60 Durometer

Applications: HIGH TEMPERATURE APPLICATIONS



GASKET SAMPLES

Material: SC41 NEOPRENE / EPDM CLOSED CELL SPONGE FOAM

Applications: ELECTRICAL RELAY BOX



GASKET SAMPLES

Material: GREY SILICONE SPONGE MEDIUM DENSITY 1/8" Thick
Applications: ELECTRICAL UNIT



GASKET SAMPLES

Material: WHISPERMAT WM 2 ACOUSTICAL FOAM

Applications: NOISE BARRIER for FAN HOUSING or A/C UNIT



GASKET SAMPLES

Material: WHITE SILICONE SPONGE – MEDIUM DENSITY

Applications: CHEMICAL RADIATION DETECTION EQUIPMENT



GASKET SAMPLES



Material: VOLARA - CLOSED CELL POLYETHYLENE FOAM


Applications: FOAM PADDING, PACKAGING, FLOATATION EQUIPMENT



GASKET SAMPLES

Material: WHITE SILICONE SPONGE MEDIUM DENSITY


Applications: CHEMICAL RADIATION DETECTION EQUIPMENT



GASKET SAMPLES

Material: CERAMIC FIBER BLANKET

Applications: HIGH TEMPERATURE INSULATION – FURNACES, GAS TURBINES



GASKET SAMPLES




Material: WHITE TEFLON 0.010" Thick
Applications: SECURITY DETECTION EQUIPMENT



GASKET SAMPLES

Material: NOMEX 5300 AA


Applications: FLAME RETARDANT MATERIAL



GASKET SAMPLES

Material: POLYURETHANE FOAM with ADHESIVE ON 1 SIDE

Applications: NOISE BARRIER



Contact Us



Head Office & Manufacturing Facility

7925 Goreway Drive

Brampton, ON

L6T 5J7

Canada

PH. 905 795 9830

info@acroindustries.com

Peter Borysko

Business Development Manager

Office: 905 795 9830 x 210

Email: pborysko@acroindustries.com

Robert Schacter

President

Email: rschacter@acroindustries.com

Manh Tran

Production Manager

Office: 905 795 9830 x 221

Email: mtran@acroindustries.com